

ARENA THEATRE WOLVERHAMPTON

Main House Technical Specifications

Technicians

Technical Manager - Steve Payne

Senior Technician (Sound) - Drew White

Senior Technician (Lighting) - Joanne Marshall

Arena Theatre
Wulfruna Street
Wolverhampton
WV1 1SE

Tel: 01902 322 507

Contact Details

Box Office -	01902 321 321	
Education & Outreach -	01902 322 646	
Access and Inclusion -	01902 322 532	
Technical Manager -	Steve	01902 322 507 steve.payne@wlv.ac.uk
Senior Technician (Sound) -	Drew	01902 322 616 drew.white@wlv.ac.uk
Senior Technician (Lighting) -	Joanne	01902 322 647 jo.marshall@wlv.ac.uk

Get In

The theatre Get In has ramped access direct to the stage area and is positioned at the far-left hand side of the executive staff car park. **Maximum width is 2.5 metres.**

Please note that the entrance to the executive staff car park has a height restricted entrance. **Maximum height is 3.2 metres. Maximum width is 3 metres.**

Dressing Rooms

Dressing room 1 - 6 persons

Dressing room 2 - 8 persons

Dressing room 3 - 15 persons

Dressing room 4 - 15 persons (Accessible)

Dressing room 5 - 6 persons (Accessible)

N.B. - If additional space is required, please contact the Technical Manager in advance.

Dressing Room Facilities

Security	Dressing rooms are locked every evening and keys are available on request.
Wash Facilities	All dressing rooms have hand basins and showers.
WC Facilities	All dressing rooms have toilets.
Power	All dressing rooms have 13amp power outlets.
Fittings	All dressing rooms have mirrors with lighting surrounds, work surfaces, chairs and costume rails (No rail in Dressing Room 2).
Communications	All dressing rooms have show relay and paging.
Green Room	Green room is situated FOH accessible, via pass door in main dressing room corridor.
Wheelchair users	Dressing rooms 4 and 5 are fully accessible via a lift.
Smoking	No smoking is permitted anywhere on the premises with the exception of as part of a performance (agreed with technical staff). This includes E Cigarettes.
Personnel	A Maximum of 50 persons allowed in the backstage area, including venue staff, chaperones and performers.
Electrical Items	Please ensure all electrical items used in the venue are P.A.T tested and show a dated label.
Wi-fi	Free Wi-fi is available, please ask at the box office.

Stage Dimensions

Setting Line	1300mm <i>from Row A</i>
Stage Width	9500mm
Stage Depth from Setting Line	8000mm
Grid Height	4670mm
Height under Stage Right Balcony	2200mm
Height under Stage Left Balcony	2200mm
Stage Right Wing Width	1270mm
Stage Left Wing Width	1900mm (upstage of prompt corner) 1520mm (downstage of prompt corner)
Up Stage Crossover	2900mm

Stage Equipment

12	15Kg Stage weights
8	Stage braces of varying lengths
1	12 rung Zarge
1	7 rung Zarge step ladders
1	5 rung Zarge step ladders
1	Genie GR-12 Runabout VPP (Licensed users only - category 3A)

Tabs and Cloths

White cyclorama (on tab track) Non-Removable.

Black tabs masking all wing entrances.

Black tabs to cover the white cyclorama.

Black half tabs with pulley operation stage right. 4160mm from the setting line.

Additional Stage Information

- a) Black wooden floor
- b) CCTV monitoring system with monitors located in control room, scene dock, all dressing rooms, green room and in the prompt desk stage left.
- c) Black dance floor is available upon request (dance companies only).
8000mm x 8000mm in 2000mm strips

N.B. - Due to the style and nature of the venue, screwing/ penetrating into the stage is not permitted. No set is to be placed on the in-house dance floor.

Lighting Equipment

Dimming and Control

02	ETC Sensor3 Digital Dimmer Racks
171	3Kw Dimmers
24	3Kw hard power terminating in 15a sockets
01	ETC GiO (4096 outputs)
02	Monitors terminating in DVI-I
01	Net 3, 4 port DMX gateway (permanent installation)

N.B. - Patched to 04 DMX Splitters, controlling up to 4 universes located in the control room.

Lighting Equipment

Generic Fixtures

07	Strand quartet Fresnel	650w
10	Strand quartet PC	650w
14	Strand Cantata Fresnel	1200w
13	Strand Cantata PC	1200w
10	Source 4 15/30 zoom	750w
20	Source 4 25/50 zoom	750w
18	Source 4 Junior 25/50 zoom	575w
14	Parcan CP62	1000w
06	ADB ACP 1001 Cyc flood	1250w

Lighting Equipment

Houselights

GDS DMX controlled LED houselights, controllable in the following zones:

Address 500	Main Block
Address 501	Cross Aisle
Address 502	Rear Block
Address 503	House Left Balcony
Address 504	House Right Balcony
Address 505	Over Stage

Effects and Accessories

- 01 MDG ATMe
- 04 Doughty tank traps
- 01 14" Mirror Ball
- 01 Mirror Ball Rotator
- 01 ADB 1000w Cyc flood
- 01 63a 3ø (phase) rubber box with the following outputs:
 - 06 16a 1ø (single phase) sockets
 - 03 32a 1ø (single phase) sockets

Additional Lighting Information

- a) The lighting desk (ETC GiO) can be replaced for an ETC ION (6144 outputs) upon request.
- b) Lighting control is located at the rear of the auditorium and room has double glazed windows. It is shared with sound control. (This is not sound-proof)
- c) The Arena holds an extensive range of Lee lighting filters and Rosco R119 & R132 Frost.
- d) One 63a 3ø (phase) socket located in the upstage cross over.
- e) The Arena carries a limited stock of Gobo's.
- f) The Arena holds size A & B Gobo holders for our Source 4 Zoom Profiles.
- g) The Arena holds a limited stock of M Gobo holders for our Source 4 Junior Zoom Profiles.

Lighting Bars and Rigging points SWL/UDL

Bars A & D – K -	300Kg UDL
Bars L & M -	150Kg UDL
Bar C -	100Kg UDL

Each Unistrut is 144Kg UDL (57kg point load on any span)

Rigging Points A & E -	400Kg SWL
Rigging Points B & D -	450Kg SWL
Rigging Point C -	140Kg Dynamic Load (70Kg Static Load)

Sound Equipment

03	d&b E12-D (Permanent FOH Installation, Left, Right and Centre)
02	d&b E15-X Subs (Permanent FOH Installation)
03	d&b E6 Delays (Permanent FOH Installation)
04	JBL 8320 (Permanent Side Surround Installation)
02	JBL 8320 (Permanent Rear Surround Installation)
05	d&b E8
05	d&b D6 Digital Amplifiers
02	Crown DSi1000 Amplifiers
01	Yamaha CL5 Digital Mixing Console
02	Ro8-D Digital Output Rack (Permanent Installation)
02	Ri8-D Input Rack (Permanent Installation)
01	Rio1608-D Digital Stage Box
01	Rio3224-D Digital Stage Box
02	Tascam Mini Disc/CD Player
04	Sennheiser G3 EW300 Radio Microphone (Transmitters and Receivers)
08	Tall boom arm stands
07	Short boom arm stands
04	Straight stands
06	Table-top stands
04	Mackie SRM450 Active Speakers
01	8way Headphone Amp
01	8way DI Boxes
04	Single DI Boxes

Microphones

07	Shure SM57 Microphone
06	Shure SM58 Microphone
01	Pulse PM580s Microphone
02	AKG C451b Microphone
03	AKG C1000 Microphone
01	AKG Groove Pack Perception Live Drum Mic Set:
	01 AKG P2
	03 AKG P4
	02 AKG P17
04	E/V ND468 Microphone

Projector/ A.V

- 01 Panasonic PT-RZ970 Laser Projector - controllable by ArtNet (Permanent Installation)
- 01 Extensa Tab-tensioned Cinema-Grade Roller Screen (Permanent Installation)
- 01 Oppo UDP-203 Ultra HD Blu-Ray Player (Permanent Installation)
- 01 Denon DBT-1713UD Blu-Ray Player
- 01 Datasat AP25 Audio Processor
- 01 Kramer VP-729 Scaler/Switcher
- 02 15" Macbook Pro with Qlab 4

The projection system inputs on HDMI via Extron DTP Tx/Rx units. The system is capable of handling up to 7.1 surround sound with all processing taking place via the Datasat AP25. Inputs into the projection system are available in the following locations:

- Control room (next to sound desk)
- External Control Position (house left of auditorium)
- Downstage Left
- Downstage Right

Additional Sound Information

- a) Sound Control room is located at the rear of the auditorium. It has double glazed windows and is shared with lighting. One window in front of the sound control position can be opened.
- b) The Sound desk may be moved into the auditorium off to the far house left side.
- c) Monitor speakers are wired into a patchable speakon rack located in the control room.
- d) In-house Radio Microphones have both Handhelds and Lavalieres available. They are tuned to a venue specific licensed frequency. Please see below:
 - 526.200
 - 526.700
 - 527.350
 - 528.150

Accessibility

- 01 Sennheiser mobile connect unit (compatible with any iOS or Smartphone)
- 01 Audio Description workstation (Microphone, sound desk & dedicated show relay)
- 04 iPod touch dedicated to use with mobile connect
- 01 Sennheiser infrared audio enhancing system (permanently installed to show relay)
- 06 Sennheiser EZT 3011 Induction Neck Loop
- 06 Sennheiser HDI 830 IR headphones

N.B. - If you require any further information on the Induction Loop or Audio Description please contact the Technical Manager.

Health and Safety

As part of our health and safety policy, an Arena Theatre technician will conduct a safety briefing with all staff working on the production before the Get In commences. The aim of the briefing is to introduce the key members of our technical staff, inform your staff of all evacuation procedures and draw their attention to any other possible hazards and policies that may be relevant to the production. This briefing is also an opportunity to introduce your staff to the house crew and discuss the schedule for the day.

A further briefing should take place with all members of the company on their arrival. This should take place in the auditorium and all technical work on stage should stop at this point for the briefing to take place.

Arena Theatre technical staff will provide information on in house Health & Safety Policies as required (Copies available on request). Arena Theatre Health & Safety Policies must be followed at all times. Special consideration must be given to Working at Height, Electrical Safety and Rigging/Suspended Equipment.

It is the responsibility of the visiting company to ensure all equipment and the items bought into The Arena are in a safe and suitable condition for use in a professional environment. This means all rigging equipment bought into the venue should have a SWL marked on it and all electrical equipment should hold a valid P.A.T Test. Any equipment that does not have the above may be deemed unsafe and may not be used.

Arena Theatre technicians have the final say over all matters relating to Health & Safety and have the right to refuse use of any equipment or other items they deem to be unsafe.